Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	13	((cluster\$3 or categori\$5 or group\$3) and (search\$3 or query\$3 or retriev\$5)).ab. and (@ad<"19990604") and (summary near3 table)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/05/26 20:01
S2	1187	((cluster\$3 or categori\$5 or group\$3) and (search\$3 or query\$3 or retriev\$5)).ab. and (@ad<"19990604")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/29 22:33
S3	608	((cluster\$3 or categori\$5 or group\$3) with (search\$3 or query\$3 or retriev\$5)).ab. and (@ad<"19990604")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/02/03 18:47
S4	176	(((cluster\$3 or categori\$5 or group\$3) with (search\$3 or query\$3 or retriev\$5)).ab. and (@ad<"19990604")) and "707"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/31 10:56
S5	38	(cluster\$3 with (search\$3 or query\$3 or retriev\$5)).ab. and (@ad<"19990604") and "707"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/02/03 18:48
S6	69	(cluster\$3 with (search\$3 or query\$3 or retriev\$5)).ab. and (@ad<"19990604")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/02/03 19:06
S7	1	((cluster\$3 with (search\$3 or query\$3 or retriev\$5)).ab. and (@ad<"19990604")) and ((cluster\$3 or categori\$5 or group\$3) near3 (module or device)) and ((convert\$3 or translat\$3) near3 (module or device))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/02/03 19:09
S8	12	((cluster\$3 with (search\$3 or query\$3 or retriev\$5)).ab. and (@ad<"19990604")) and ((cluster\$3 or categori\$5 or group\$3) near3 (module or device))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/02/03 19:09
S9	26	((cluster\$3 or categori\$5 or group\$3) and (search\$3 or query\$3 or retriev\$5)).ab. and ((cluster\$3 or categori\$5 or group\$3) with (search\$3 or query\$3 or retriev\$5) with service) and (@ad<"19990604")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/19 21:21

S10	136	(((cluster\$3 or categori\$5 or	US-PGPUB;	OR	ON	2003/02/04 17:42
	130	group\$3) and (search\$3 or query\$3 or retriev\$5)).ab. and (@ad<"19990604")) and ((pluralit\$3 or multipl\$3 or select\$3 or pick\$3 or choos\$3) with (search\$3 or quer\$5 or retriev\$5) with (service or agent or server or engine))	USPAT; IBM_TDB			
S11	373	(cluster\$3 or categori\$5 or group\$3) same ((pluralit\$3 or multipl\$3 or select\$3 or pick\$3 or choos\$3) with (search\$3 or quer\$5 or retriev\$5) with (service or agent or server or engine)) and (@ad<"19990604")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/02/05 16:42
S12	143	(cluster\$3 or categori\$5 or group\$3) same ((individual\$3 or separat\$3) with (search\$3 or quer\$5 or retriev\$5) with (service or agent or server or engine or result)) and (@ad<"19990604")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/02/05 16:45
S13	81	(cluster\$3 or categori\$5 or group\$3) same ((individual\$3 or separat\$3) with (search\$3 or quer\$5 or retriev\$5) with (service or agent or server or engine)) and (@ad<"19990604")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/02/05 17:27
S14	326	(cluster\$3 or categori\$5 or group\$3) same (parallel\$3 with (search\$3 or quer\$5 or retriev\$5)) and (@ad<"19990604")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/02/05 17:31
S15	48	(cluster\$3) same (parallel\$3 with (search\$3 or quer\$5 or retriev\$5)) and (@ad<"19990604")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/02/05 18:54
S16	24	(cluster\$3 or categori\$5 or group\$3).ab. and ((cluster\$3 or categori\$5 or group\$3) with (document\$2 or page\$2 or record\$2 or file\$2 or search\$3 or query\$3 or retriev\$5)) and (@ad<"19990604") and (morpholog\$7) and ("707"/\$.ccls. or "715"/\$.ccls. or "705"/\$.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/20 18:40
S17	1	"6389436".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/21 13:40
S18	1	"6556983".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/21 13:47

C10	105	((aluebant2 as antonouit0 as	LIC DCDUD	OD	ON	2002/00/22 00 55
S19	195	((cluster\$3 or categori\$9 or group\$3).ab. or (cluster\$3 or categori\$9 or group\$3).ti.) and ((extract\$3 or identif\$5 or determin\$3) same (keyword\$2 or word\$2 or title\$2) same ((cluster\$3 or categori\$5 or group\$3) with (document\$2 or page\$2 or record\$2 or file\$2 or search\$3 or query\$3 or retriev\$5))) and (@ad<"19990604") and ("707"/\$. ccls. or "715"/\$.ccls. or "705"/\$.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/22 09:57
S20	106	((select\$3 or choos\$3) with (search\$3 adj3 (service\$2 or engine\$2))) and (@ad<"19990604") and "707"/\$. ccls. and (convert\$7 or translat\$7)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/21 18:05
S21	78	((cluster\$3 or categori\$9 or group\$3).ab. or (cluster\$3 or categori\$9 or group\$3).ti.) and ((cluster\$3 or categori\$5 or group\$3) with (document\$2 or page\$2 or record\$2 or file\$2 or search\$3 or query\$3 or retriev\$5)) and ((rank\$3 or weight\$5) with (cluster\$5 or categor\$5)) and (@ad<"19990604") and "707"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/21 19:52
S22	42	((cluster\$3 or categori\$9 or group\$3).ab. or (cluster\$3 or categori\$9 or group\$3).ti.) and ((cluster\$3 or categori\$5 or group\$3) with (document\$2 or page\$2 or record\$2 or file\$2 or search\$3 or query\$3 or retriev\$5)) and ((extract\$3 or identif\$5 or determin\$3) same (keyword\$2 or word\$2 or title\$2) same (title or heading\$2) same ((cluster\$3 or categori\$5 or group\$3) with (document\$2 or page\$2 or record\$2 or file\$2 or search\$3 or query\$3 or retriev\$5))) and (@ad<"19990604") and ("707"/\$. ccls. or "715"/\$.ccls. or "705"/\$. ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/08/22 09:59
S23	1120	((cluster\$3 or categori\$5 or group\$3) and (search\$3 or query\$3 or retriev\$5)).ab. and (@ad<"19990604") and summar\$5	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/25 18:02

S24	50	((cluster\$3 or categori\$5 or group\$3) and (search\$3 or query\$3 or retriev\$5)).ab. and (@ad<"19990604") and (summar\$5 with table)	US-PGPUB; USPAT; IBM_TDB	OR	ON _	2004/03/25 18:03
S25	62	((cluster\$3 or categori\$5 or group\$3) or (search\$3 or query\$3 or retriev\$5)).ab. and (@ad<"19990604") and (cluster\$3 or categori\$5 or group\$3) and (summar\$5 adj table) and ("707"/\$.ccls. or "715"/\$.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/25 18:04
S26	181	(((cluster\$3 or categori\$5 or group\$3) with (search\$3 or query\$3 or retriev\$5)).ab. and (@ad<"19990604")) and "707"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/31 10:56
S27	1965	((table or summary or chart or gid) with ((cluster\$3 or categori\$5 or group\$3 or class) near3 (identif\$5 or name or statist\$5))) and (@ad<"19990604")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/05/26 20:06
S28	637	((table or summary or chart or gid) with (contain\$3 or includ\$3 or compris\$3 or display\$3) with ((cluster\$3 or categori\$5 or group\$3 or class) near3 (identif\$5 or name or statist\$5))) and (@ad<"19990604")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/05/26 20:08
S29	156	((table or summary or chart or gid) with (contain\$3 or includ\$3 or compris\$3 or display\$3) with ((cluster\$3 or categori\$5 or group\$3 or class) near3 (identif\$5 or name or statist\$5))) and (@ad<"19990604") and ((search\$3 or quer\$5) with (cluster\$3 or categori\$5 or group\$3 or classif\$5))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/05/26 20:11
S30	20	((table or summary or chart or gid) with summar\$7 with ((cluster\$3 or categori\$5 or group\$3 or class) near3 (identif\$5 or name or statist\$5))) and (@ad<"19990604") and ((search\$3 or quer\$5) with (cluster\$3 or categori\$5 or group\$3 or classif\$5))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/05/26 20:14

S31 71 ((table or summary or chart or gid) with summar\$7 with ((cluster\$3 or categori\$5 or group\$3 or class) near3 (identif\$5 or name or statist\$5))) and (@ad<"19990604")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/05/26 20:14
--	--------------------------------	----	----	------------------